


SOLID SPLIT SPROCKETS - IDLER WHEELS for chain series 812 - 821- 820 - 802




- Excellent wear and chemical resistance.
- Reduced noise level and quiet operation.
- Reinforced execution.
- Completely closed structure, easier to clean and to disinfect.
- The design of the sprocket ensures smooth running and a long service life.
- Increase keyway strength

SPLIT SPROCKETS

Material: Polyamide, screws in S/S AISI 304.

Notes: Special shape of teeth compensates natural chain lengthening after prolonged use.




CODE	Z equiv	C mm	H mm	S mm	DF mm
SS SPK 001	17	103.9	105.47	55.9	35 40 50
SS SPK 002	19	117	117.34	61.9	35 40 50
SS SPK 003	21	129.0	129.26	67.8	35 40 50
SS SPK 004	23	142.0	141.21	73.8	35 40 50
SS SPK 005	25	154.0	153.21	79.8	35 40 50

SPLIT SPROCKETS

Material: Polyamide, screws in S/S AISI 304.

Notes: Special shape of teeth compensates natural chain lengthening after prolonged use.




CODE	Z equiv	C mm	H mm	S mm	DF mm
SS SPK 006	17	103.9	105.47	55.9	35 40 50
SS SPK 007	19	117	117.34	61.9	35 40 50
SS SPK 008	21	129.0	129.26	67.8	35 40 50
SS SPK 009	23	142.0	141.21	73.8	35 40 50
SS SPK 010	25	154.0	153.21	79.8	35 40 50

SPLIT SPROCKETS


Material: Polyamide, screws in S/S AISI 304.

Notes: Special shape of teeth compensates natural chain lengthening after prolonged use.



CODE	Z equiv	C mm	H mm	S mm	DF mm
SS SPK 011	17	103.9	105.47	55.9	35 40 50
SS SPK 012	19	117	117.34	61.9	35 40 50
SS SPK 013	21	129.0	129.26	67.8	35 40 50
SS SPK 014	23	142.0	141.21	73.8	35 40 50
SS SPK 015	25	154.0	153.21	79.8	35 40 50


SPLIT SPROCKETS for flex chain series 881 - 881G - 881TAB



SPLIT SPROCKETS


Material: Reinforced polyamide, screws in S/S AISI 304

Application: Curving chains series 881 - 881G - 881TAB



CODE	Z equiv	B mm	C mm	S mm	DF mm
SPK 128	21	116.1	129	67.8	35
					40
					45
					50
SPK129	25	140.1	154	79.8	35
					40
					45
					50

SPLIT SPROCKETS - SPLIT IDLER WHEELS for double hinge slat chain series 821 - LBP821-802





SPLIT SPROCKETS

Material: Reinforced polyamide, screws in S/S AISI 304


SPLIT SPROCKETS

Material: Self-lubricating polyamide
Application: Double hinge chains




CODE	Z	DF mm
SPK 022	21	30
SPK 024	25	35
		40
		45

LIT SPROCKETS FOR CHAIN SERIES 820




SPLIT SPROCKETS

Material: Reinforced polyamide, screws in S/S AISI 304
Application: Straight running chain 820




CODE	Z equiv	B mm	C mm	S mm	DF mm
SPK 124	21	116.1	129	67.8	35
					40
					45
					50
SPK125	25	140.1	154	79.8	35
					40
					45
					50

STEEL SLAT CHAIN SERIES 812 - 815




SPLIT SPROCKETS

Material: Reinforced polyamide, screws in S/S AISI 304
Application: Straight running chain 812 - 815



CODE	Z equiv	B mm	C mm	S mm	DF mm
SPK 122	21	116.1	129	67.8	35
					40
					45
					50
SPK123	25	140.1	154	79.8	35
					40
					45
					50


DRIVE SPROCKETS - IDLER WHEELS for cardanic chains series A1700




DRIVE SPROCKET

Material: Polyamide

Exceptional wear and abrasion resistance, low friction, self lubricating excellent chemical resistance.




Sprockets are supplied with standard 20mm bore and can be produced on request with a finished bore in accordance with your specifications.



CODE	Z equiv	A mm	B mm	C mm	M mm	S mm	DF mm
SPK 064	8	42	106	133	65	53	25 30
SPK 065	10	43	139	165	56	69	25 30

DRIVE SPROCKETS for crate conveyor chain series CC600




DRIVE SPROCKET

Material: Polyamide

Exceptional wear and abrasion resistance, low friction, self lubricating excellent chemical resistance.






Sprockets are supplied with standard 20mm bore and can be produced on request with a finished bore in accordance with your specifications.



CODE	Material	Z mm	C mm	H mm	DF mm	Weight kg
SPK 067	Polyamide	8	194	166	20	0.60
SPK 068	Polyamide	10	232	205	20	0.80
SPK 069	Polyamide	12	272	217	20	1.00




SPLIT SPROCKETS-SPLIT IDLER WHEELS for side flex chains series 882TAB - LBP882



CODE	Z	DF mm
SPK 051	10	25
		30
		35
		40
		45

SPLIT SPROCKETS

Material: Reinforced polyamide, screws in S/S AISI 304





CODE	Z	DF mm
SPK 053	12	25
		30
		35
		40
		45

DOUBLE CLAMP WITH ROD

Material: Self lubricating polyamide, screws in S/S AISI 304

DRIVE SPROCKETS - IDLER WHEELS for flex chains series 879TAB - 880 - 880G - 880TAB



SPLIT SPROCKETS

Material: Polyamide, screws in S/S AISI 304, sprockets are designed for axial locking of the shaft

Application: Flex chains series - 880 - 880TAB

CODE	Z	DF mm	S mm
SPK 044	10	25	77.2
		30	
		35	
		40	
		45	

CODE	Z	DF mm	S mm
SPK 046	12	25	77.2
		30	
		35	
		40	
		45	